

Give the Boost a Shot!

Jeremy Bischoff, LNHA, BS

February 3, 2022









Behavioral Health Outcomes & Opioid Misuse

- ✓ Promote opioid best practices
- ✓ Decrease high dose opioid prescribing and opioid adverse events in all settings
- ✓ Increase access to behavioral health services

CMS 12th SOW Goals



Patient Safety

- ✓ Reduce risky medication combinations
- ✓ Reduce adverse drug events
- ✓ Reduce C. diff in all settings



Chronic Disease Self-Management

- ✓ Increase performance on ABCS clinical quality measures (i.e., aspirin use, blood pressure control, cholesterol management, cardiac rehab)
- ✓ Identify patients at high-risk for developing kidney disease & improve outcomes
- ✓ Identify patients at high risk for diabetes-related complications & improve outcomes



Quality of Care Transitions

- ✓ Convene community coalitions
- ✓ Identify and promote optical care for super utilizers
- ✓ Reduce community-based adverse drug events



Nursing Home Quality

- ✓ Improve the mean total quality score
- ✓ Develop national baselines for healthcare related infections in nursing homes
- ✓ Reduce emergency department visits and readmissions of short stay residents



Agenda



Who Are We? - Introduction to Alliant Health QIN-QIO

02


Project Goal – Increase Booster Uptake rates



Data Download – The Why




Questions and Answers – What is on your mind?



RAPID Cycle Project Goal:

Increase booster rates for your eligible residents and staff to 100%!






Note: This project is NOT focused on unvaccinated individuals!



The Why






Impact of COVID-19 on Our Residents

Weekly Resident COVID-19 Confirmed Cases and Deaths

Note: The most recent week's data is considered preliminary and will be updated the following week.



Week ending 01/02/2022

Residents Weekly Confirmed COVID-19

14,623 cases

Residents Weekly COVID-19 Deaths

396 deaths

Source: https://data.cms.gov/covid-19/covid-19-nursing-home-data










Percentage of Residents in Nursing Homes with Complete COVID-19 Vaccination Receiving Additional Primary or Booster Dose, by Week – United States



Complete Vaccination: The percentage of residents who received all doses required to be fully vaccinated. Additional primary or booster dose: An additional dose refers to a subsequent dose of vaccine administered to people who likely did not mount a protective immune response after initial vaccination. A booster dose refers to a subsequent dose of vaccine administered to enhance or restore protection by the primary vaccination which might have wanted over time.





For weeks ending 8/29-9/26, facilities reporting 100% of fully vaccinated individuals received an additional primary or booster dose were excluded. Data for the most recent week are still accruing.

Data source: Centers for Disease Control and Prevention, National Healthcare Safety Network: Accessibility: [Right click on the graph area to show as table]

For more information: https://www.cdc.gov/nhsn/ltc/weekly-covid-vac/index.html


HEALTH SOLUTIONS

QIN-QIO
QUAlity Improvement Organizations
CENTES FOR MEDICARE & MEDICARE & MEDICARE OR MEDICARE & MEDICARE OR MEDICARE O

Impact of COVID-19 on Our Residents – Staff Cases

Weekly Staff COVID-19 Confirmed Cases and Deaths

Note: The most recent week's data is considered preliminary and will be updated the following week.



Week ending 01/02/2022

Staff Weekly Confirmed COVID-19

34,242 cases

Staff Weekly COVID-19 Deaths

19 deaths

Source: https://data.cms.gov/covid-19/covid-19-nursing-home-data

Week Ending Date

Cases








Percentage of Staff in Nursing Homes with Complete COVID-19 Vaccination Receiving Additional Primary or Booster Dose, by Week – United States



Complete Vaccination: The percentage of staff who received all doses required to be fully vaccinated. Additional primary or booster dose: An additional dose refers to a subsequent dose of vaccine administered to people who likely did not mount a protective immune response after initial vaccination. A booster dose refers to a subsequent dose of vaccine administered to enhance or restore protection by the primary vaccination which might have waned over time.





For weeks ending 8/29-9/26, facilities reporting 100% of fully vaccinated individuals received an additional primary or booster dose were excluded. Data for the most recent week are still accruing. Data source: Centers for Disease Control and Prevention, National Healthcare Safety Network: Accessibility: [Right click on the graph area to show as table]

For more information: https://www.cdc.gov/nhsn/ltc/weekly-covid-vac/index.html

Data as of 1/10/2022 5:30 AM



Current "Tool Box"

What are you currently doing to impact vaccine uptake?

- Do you believe your facilities' communication sessions related to Covid-19 and infection control have increased vaccine awareness and supported efforts to improve uptake?
- Does your facility have the access and supplies to administer vaccines timely?
- Does your organization offer PTO to staff for vaccination and symptom relief?
- Are you offering incentives to staff to get vaccinated? Could be individual or group rewards or financial incentives.
- Do you and your staff believe your facility engages in activities that enhance the sense of trust that your nursing home promotes an honest culture, psychological safety, and mutual respect?



Identified Barriers


What is stopping us?

- Is this a data related issue with NHSN inputs?
- Are your staff, residents, or even leadership confident in the vaccine or is hesitancy impacting uptake?
- Do your staff, residents, and leadership understand the safety and efficacy of the vaccine?
- Has your facility experienced vaccine uptake issues regarding Health Equity in your home/community?
- Is your staff or leadership team engaged?
- Is the vaccine readily available to the facility?
- Are you experiencing turnover related specifically to the CMS Vaccine Mandate for Healthcare Workers?



The How

- 1. Create a RAPID ACTION PLAN (PDSA)
- 2. Determine **WHO** is eligible
- 3. EDUCATE yourself, team, and residents
- 4. PREPARE to ask for consent
- 5. Overcome **REFUSALS** with trusted, valid resources
- 6. Take Action Boost your residents and staff





Create a RAPID ACTION PLAN (PDSA)

- Complete root causes analysis and identification of barrier
- Provide resources and support for Improvement
- Review data to assess effectiveness of improvement activities





Who is Booster Eligible?

Eligible For	IF YOU RECEIVED Pfizer-BioNTech	IF YOU RECEIVED Moderna	IF YOU RECEIVED Johnson & Johnson's Janssen
Additional Primary Shot	People age 5+ who are moderately or severely immunocompromised should get an additional primary shot of Pfizer-BioNTech COVID-19 vaccine Given 28 days after 2 nd shot	People age 18+ who are moderately or severely immunocompromised should get an additional primary shot of Moderna COVID-19 vaccine Given 28 days after 2 nd shot	No additional primary shot is recommended at this time
Booster Shot	 Teens ages 12–17 should only get a Pfizer-BioNTech COVID-19 vaccine booster shot People age 18+ 	People age 18+ should get a <u>booster shot</u> of either Pfizer-BioNTech or Moderna (mRNA COVID- 19 vaccines) in most situations	People age 18+ should get a <u>booster shot</u> of either Pfizer-BioNTech or Moderna (mRNA COVID- 19 vaccines) in most situations

Who is ELIGIBLE for a Booster/Additional Primary Shot?

- mRNA Vaccine = 5 months post Primary
- J&J Vaccine = 2 months post Primary
- Moderate to Severely Immunocompromised should receive an Additional Primary Dose 28 days post Primary Vaccination (*See CDC link at page bottom for additional info)

Who is NOT Eligible for the Booster?

- Anyone with an ACTIVE COVID infection
 - Eligible once active infection has resolved. Temporary deferral.
- Anyone who received monoclonal antibodies or convalescent plasma should wait 90 days
- Anyone with a Medical or Religious Exemption
- Other temporary deferrals due to illness

BioNTech or Moderna (mRNA COVID-19 vaccines) in most situations

Given 5 months after additional primary shot additional primary shot

Given 5 months after

Given 2 months after 1st shot

Source: CDC 1.28.22 https://www.cdc.gov/coronavirus/2019-ncov/vaccines/recommendations/immuno.html



Matching Barriers to Interventions

Let's work through your identified barriers and establish the resources to advance our booster uptake rates

Examples:

- Resources showing the ineffectiveness of the primary vaccination against current variants vs. those with a booster shot.
- Print ready flyers to post in facility sharing the need for a booster shot.
- Guides to preparing for a vaccine clinic, working through NHSN data questions.
- Links to trusted resource content online to assist with dispelling myths, understanding safety and efficacy




Prepare For Consent & Addressing Refusals

- Is your team prepared to dispel myths?
- Can they share the "why" a booster shot is needed?
- It is our duty to assist our residents, responsible parties, and staff members to make an informed and educated decision!

*If we do not educate then we are allowing social media and news networks to be the source!

Be the trusted source for vaccine information!







Take ACTION!



Additional Support Activities

This intensive 12-week program includes the following optional services and activities:

- <u>Tuesdays:</u> You will receive a weekly email bulletin dedicated to this program with the latest updates and tools you can use to help increase vaccination and booster rates.
- <u>Wednesdays:</u> Participate in a weekly educational event for all nursing homes to provide the latest information and tools to help accelerate rates. *ANCC Contact Hours Provided*
- **Thursdays:** Take advantage of weekly office hours sessions for clinicians to share best practices, updates in clinical guidance, and science.
- A dedicated website page with resources and materials.
- Access to experts in epidemiology, quality improvement, and infection control
 1-888-519-4128 Assistance Hotline
 - ALLIANT

 HEALTH SOLUTIONS


 QUILTUM QUAITLY Improvement Organizations
 CHEST FOR MEDICAD SERVICES

 CHEST FOR MEDICAD SERVICES

Questions?

















This material was prepared by Alliant Health Solutions, a Quality Innovation Network – Quality Improvement Organization (QIN – QIO) and Hospital Quality Improvement Contractor (HQIC) under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. Publication No: 12SOW-AHSQIN-QIO TO1 - NH--1458-02/02/22